

Concussion Management Protocol References

- Alsalaheen BA, Whitney SL, Much A, Morris LO, Furman JM, Sparto PJ. Exercise prescription patterns in patients treated with vestibular rehabilitation after concussion. *Physiother Res Int*. 2013;18(2):100-108.
- Anderson LL, Mortensen OS, Zebis MK, Jensen RH, Poulsen OM. Effect of brief daily exercise on headache among adults: secondary analysis of a randomized controlled trial. *Scan J Work Environ Health*. 2011;37(6):547-550.
- Bandelow B, Lichte T, Rudolf S, Wiltink J, Beutel ME. The diagnosis of and treatment recommendations for anxiety disorders. *Dtsch Arztebl Int*. 2014;11(27-28):473-480.
- Bellerose J, Bernier A, et al. When injury clouds understanding of others: Theory of mind after mild TBI in preschool children. *J of the International Neuropsychological Society*. 2025; 21(7): 483-93.
- Broglio SP, Collins MW, Williams TM, Mucha A, Kontos AP. Current and emerging rehabilitation for concussion: a review of the evidence. *Clin Sports Med*. 2015;34(2):213-231.
- Broglio SP, Puetz TW. The effect of sport concussion on neurocognitive function, self-report symptoms and postural control: a meta-analysis. *Sports Med*. 2008;38(1):53-67.
- Brown HE, Pearson N, Braithwaite RE, Brown WJ, Biddle SJ. Physical activity interventions and depression in children and adolescents: a systematic review and meta-analysis. *Sports Med*. 2013;43:195-206.
- Chauhan R, Cheng A, et al. Activity and Recovery Among Youth with Concussion: A Meta-analysis. *Pediatrics*. 2023 151(5).
- Ciuffreda KJ, Rutner D, Kapoor N, Suchoff IB, Craig S, Han ME. Vision therapy for oculomotor dysfunctions in acquired brain injury: a retrospective analysis. *Optometry*. 2008;79(1):18-22.
- Collins MW, Kontos AP, Okonkwo DO, et al. Statements of Agreement from the Targeted Evaluation and Active Management (TEAM) Approaches to Treating Concussion Meeting Held in Pittsburgh, October 15-16, 2015. *Neurosurgery Online*. 2016 79(6).
- Collins MW, Kontos AP, Reynolds E, Murawski CD, Fu FH. A comprehensive, targeted approach to the clinical care of athletes following sports-related concussion. *Knee Surg Sports Traumatol Arthrosc*. 2014;22(2):235-246.
- Covassin T, Crutcher B, Bleecker A, Heiden EO, Dailey A, Yang J. Postinjury anxiety and social support among collegiate athletes: a comparison between orthopaedic injuries and concussions. *J Athletic Train*. 2014;49(4):462-468.
- Covassin T, Moran R, Wilhelm K. Concussion symptoms and neurocognitive performance of high school and college athletes who incur multiple concussions. *Am J Sports Med*. 2013;41(12):2885-2889.
- Dean PJ, Sato JR, Vieira G, McNamara A, Sterr A. Long-term structural changes after mTBI and their relations to post-concussive symptoms. *Brain Injury*. 2015:1-8
- deKruijk JR, Leffers P, et al. Effectiveness of bed rest after mild traumatic brain injury: a randomized control trial of no versus six days of bed rest. *J Neurol Neurosurg Psychiatry*. 2002;73(2): 167-172.
- DiFazio M, et al. Prolonged Activity Restriction after Concussion: Are We Worsening Outcomes. *Clin Pediatr*. 2016;55(5):443-451.

Elbin RJ, Schatz P, Lowder HB, Kontos AP. An empirical review of treatments and rehabilitation approaches used in the acute, sub-acute and chronic phases of recovery following sports-related concussion. *Curr Treat Options Neurol*. 2014;16(11):320.

Ellis MJ, Leddy JJ, Willer B. Physiological, vestibulo-ocular and cervicogenic post-concussion disorders: an evidence-based classification system with directions for treatment. *Brain Inj*. 2015;29(2);238-248.

Fuentes MM, Wang J et al. Unmet Rehabilitation Needs After Hospitalization for Traumatic Brain Injury. *Pediatrics*. 2018 141(5).

Gagnon I, Grilli L, Friedman D, Iverson G. A pilot study of active rehabilitation for adolescents who are slow to recover from sport-related concussion. *Scand J Med Sci Sports*. 2016;26(3):299-306.

Gioia GA, Collins M, Isquith PK. Improving Identification and Diagnosis of Mild Traumatic Brain Injury with Evidence: Psychometric Support for the Acute Concussion Evaluation. *J Head Trauma Rehab*. 2008;23(4)230-242.

Haarbauer-Krupa J, Ciccio A, Dodd J, Ettel D, Kurowski B, Lumba-Brown A, & Suskauer S. Service Delivery in the Healthcare and Educational Systems for Children Following Traumatic Brain Injury: Gaps in Care. *J Head Trauma Rehab*. 2017 32(6)367-377.

Haarbauer-Krupa J, King TZ, et al. Early Elementary School Outcome in Children with a History of Traumatic Brain Injury Before Age 6 Years. *J Head Trauma Rehab*, 2018.

Haarbauer-Krupa J, Lee AK, et al. Prevalence of Parent-Reported Traumatic Brain Injury in Children and Associated Health Conditions. *JAMA Pediatrics Online*. Sept 2019.

Henry LC, Elbin RJ, et al. Examining recovery trajectories after sport-related concussion with a multimodal clinical assessment approach. *Neurosurgery*. 2016;78(2):232-241.

Iverson GL, Brooks, et al. Tracking neuropsychological recovery following concussion in sport. *Brain Injury*. 2006;20(3):245-252.

Jones S, Davis N, and Tyson, SF. A Scoping Review of the Needs of Children and Other Family Members after a Child's Traumatic Brain Injury. *Clinical Rehabilitation*. 2018 32(4)501-511.

Kaldoja ML, Kolk A. Social-emotional behavior in infants and toddlers with mild traumatic brain injury. *Brain Injury*. 2012; 26(7-8): 1005-13.

Karlin AM. Concussion in the pediatric and adolescent population: "different population, different concerns." *PM&R*. 2011;3(10suppl2):S367-379.

Kontos AP & Collins MW. Concussion: A Clinical Profile Approach to Assessment and Treatment. American Psychological Association, 2018.

Kontos AP, Elbin RJ, Lau B, et al. Posttraumatic migraine as a predictor of recovery and cognitive impairment after sport-related concussion. *Am J Sports Med*. 2013;41(17):1497-1504.

Lange RT, Panenka WJ, Shewchuk JR, et al. Diffusion tensor imaging finding and postconcussion symptom reporting six weeks following mild traumatic brain injury. *Archives of Clinical Neuropsychology*. 2015;30(1):7-25.

Leddy J, Hinds A, et al. The Role of Controlled Exercise in Concussion Management. *PM&R*. 2016;8(3suppl):S91-S100

Leddy J, Kozlowski K, Donnelly JP, Pendergast DR, Epstein LH, Willer B. A preliminary study of subsymptom threshold exercise training for refractory postconcussion syndrome. *Clin J Sport Med*. 2010;20(1):21-27.

- Leddy J, Sandu H, Sodhi V, Baker JG, Willer B. Rehabilitation of concussion and post-concussion syndrome. *Sports Health*. 2012;4(2):147-154.
- Ledoux A, Tang K, et al. Natural Progression of Symptom Change and Recovery in a Pediatric Population. *JAMA Pediatrics Online* Nov 5, 2018.
- Lovell MR, Collins MW, Iverson GL, et al. Recovery from mild concussion in high school athletes. *J Neurosurg*. 2003;98(2):296-301.
- Lumba-Brown A, Yeates KO, et al. Centers for Disease Control and Prevention Guideline on the Diagnosis and Management of Mild Traumatic Brain Injury Among Children. *JAMA online*, Sept 2018.
- Majerske CW, Mihalik JP, Ren D, et al. Concussion in sports: postconcussive activity levels, symptoms, and neurocognitive performance. *J Athl Train*. 2008;43(3):265-274.
- McClincy MP, Lovell MR, Pardini J, Collin MW, Spore MK. Recovery from sports concussion in high school and collegiate athletes. *Brain Injury*. 2006;20(1):33-39.
- McCrea M, Guskiewicz K, Marshall SW, et al. Acute effects and recovery time following concussion in collegiate football players: the NCAA Concussion Study. *JAMA*. 2003; 290(19): 2556-2563.
- McKinlay A, Grace R et al. Adolescent psychiatric symptoms following preschool mild traumatic brain injury: Evidence from a birth cohort. *J Head Trauma Rehab*. 2009; 24(3): 221-7.
- McKinlay A, Anderson V. Issues Associated with pre-school child traumatic brain injury. *Int Neuro Trauma*. 2013;33.
- Mihalik JP, Register-Mihalik J, Kerr ZY, Marshall SW, McCrea MC, Guskiewicz KM. Recovery of posttraumatic migraine characteristics in patients after mild traumatic brain injury. *Am J Sports Med*. 2013;41(7):1490-1496.
- Niedzwecki CM, et al. Using Rehabilitation along the Pediatric Continuum as a Strategy to Define Outcomes in Traumatic Brain Injury. *Clinical Pediatric Emergency Medicine*. 2018; 19(3): 260-271.
- Patricios J. et al. Child Sport Concussion Office Assessment Tool - 6. *Br J Sports Med*, June 2023.
- Patricios J. et al. Introducing the Sport Concussion Office Assessment Tool 6 (SCOAT6). *Br J Sports Med*, June 2023.
- Patricios J. et al. Sport Concussion Office Assessment Tool - 6. *Br J Sports Med*, June 2023.
- Patricios J. et al. Sport Concussion Assessment Tool - 6. *Br J Sports Med*, June 2023.
- Pellman EJ, Lovell MR, Viano DC, Casson IR. Concussion in professional football: recovery of NFL and high school athletes assessed by computerized neuropsychological testing – Part 12. *Neurosurgery*. 2006;58(2):263-274.
- Ponsford J, Willmott C, Rothwell A, et al. Impact of early intervention on outcome after mild traumatic brain injury in children. *Pediatrics*. 2001;108(6):1297-1303.
- Ponsford J, Willmott C, Rothwell A, et al. Impact of early intervention on outcome following mild head injury in adults. *J Neurol Neurosurg Psychiatry*. 2002;73(3):330-332.
- Pullen LC, and Barclay L. Sports-Related Concussion Recommendations: AAP Updates. Released 12/12/2018.
- Reynolds E, Collins MW, Mucha A, Troutman-Ensecki C. Establishing a clinical service for the management of sports-related concussions. *Neurosurgery*. 2014;75(suppl4):S71-S81.

Santiago MD, Carvalho DS, Gabbai AA, Pinto MM, Moutran AR, Villa TR. Amitriptyline and aerobic exercise or amitriptyline alone in the treatment of chronic migraine: a randomized comparative study. *Arg Neuropsychiatr*. 2014;72(11):851-855.

Santiago MD, Carvalho DS, Gabbai AA, Pinto MM, Moutran AR, Villa TR. Amitriptyline and aerobic exercise or amitriptyline alone in the treatment of chronic migraine: a randomized comparative study. *Arg Neuropsychiatr*. 2014;72(11):851-855.

Scheider KJ, Iverson GL, Emery CA, McCrory P, Herring SA, Meeuwisse WH. The effects of rest and treatment following sport-related concussion: a systematic review of the literature. *Br J Sports Med*. 2013;47(5):304-307.

Schneider KJ, Meeuwisse WH, Nettel-Aguirre A, et al. Cervicovestibular rehabilitation in sport-related concussion: a randomised controlled trial. *Br J Sports Med*. 2014;48(17):1294-1298.

Seabury SA, Gaudette E, et al. Assessment of Follow-up Care After Emergency Department Presentation for Mild Traumatic Brain Injury and Concussion: Results from the TRACK-TBI Study. *JAMA Network Open*, May 25, 2028.

Silverberg ND, Iverson GL. Is rest for concussion “the best medicine?”: recommendations for activity resumption following concussion in athletes, civilians, and military service members. *J head Trauma Rehabil*. 2013;28(4):250-259.

Thiagarajan P, Ciuffreda KJ. Versional eye tracking in mild traumatic brain injury (mTBI): effects of oculomotor training (OMT). *Brain Inj*. 2014;28(7):930-943.

Thomas DG, Apps JN, et al. Benefits of Strict Rest After Acute Concussion: A Randomised Controlled Trial. *Pediatrics*. 2015;135(2):213-223.

Varkey E, Cider A, Carlsson J, Linde M. Exercise as migraine prophylaxis: a randomized study using relaxation and toiramate as controls. *Cephalalgia*. 2011;31(14):1428-1438.

Woodrow RE, Winzeck S, Luppi AI, Kelleher-Unger IR, Spindler LRB, Wilson, JTL, Newcombe VFJ, Coles JP, et al. Acute thalamic connectivity precedes chronic post-concussive symptoms in mild traumatic brain injury. *Brain*. 2023; 146; 3483-3499.

Wrightson P, McGinn V, Gronwall D. Mild head injury in preschool children: Evidence that it can be associated with a persisting Cognitive defect. *J or Neurology, Neurosurgery*. 1995; 59(4): 375-80.

Yang J, Peek-Asa C, Covassin T, Torner JC. Post-concussion symptoms of depression and anxiety in division I collegiate athletes. *Dev Neuropsychol*. 2015;40(1):18-23.

Zafonte R. Diagnosis and management of sport-related concussion: a 15-year-old athlete with a concussion. *JAMA*. 2011;306(1):79-86.

Zuckerbraun, NS, Atabaki, S, Collins, MW, Thomas, T, Gioia, GA. Use of Modified Acute Concussion Evaluation Tools in the Emergency Department. *Pediatrics*. 2014; 133(4).